

The UWA Institute of Agriculture

# Annual Research Report 2009





## **Executive Summary**

It is three years since the re-launch of The UWA Institute of Agriculture, and 2009 showed that we are well on track in reaching our vision of being recognised for excellence in serving agriculture and the management of natural resources through research, education and training in a regional, national and international context.

2009 saw UWA ranked 113 in the world as defined by China's Shanghai Jiao Tong University rankings. UWA agricultural researchers continued to be some of the most highly cited in Australia and internationally (among the top 50 universities in the world). UWA Agriculture also persisted in its efforts of publishing high quality scientific papers in reputable international journals. The full list of publications appears on page 22 to 26.

In 2009 we attracted a number of externally funded research projects. This is a clear indication of the confidence funding bodies have in UWA's expertise in agriculture and natural resource management.

As one of the major players in agricultural education in Australia, we continued to attract a number of undergraduate and postgraduate students in agriculture and natural resource management areas. Student numbers in the BSc in Agriculture (and the combined degrees with Commerce and Economics) and Natural Resource Management have remained consistent over the last several years.

Our commitment to help Iraqi agriculture led to several Masters students in agriculture joining UWA. Another major highlight was the OECD Conference hosted by our International Centre for Plant Breeding Education and Research (ICPEBER) in late 2009. International engagement remains important to The UWA Institute of Agriculture.

The Institute is sustaining effective communication (through media statements, newsletters, public lectures

etc) of agricultural research and teaching activities at UWA to industry, farmer groups, collaborators, funding bodies, potential students and alumni. We stay in touch with on the ground agriculture through active partnership with grower groups (Grower Group Alliance, the WA No-Till Farmer Association) located on campus, Food Industry Association WA, CSIRO Floreat and Department of Agriculture and Food WA.

During 2009 the world increasingly realised the great challenge we are facing in feeding the world with diminishing resources. However, having food on their plate is not the only concern to consumers. They are demanding clean, green and ethical agricultural practices. The UWA Institute of Agriculture is constantly looking towards the future, and especially promoting sustainable agricultural practices. In November 2009 attendees at The UWA Future Farm Open Day, at Ridgefield, Pingelly had a snap shot of future best practices researched at the University. Read more about this day on

The UWA Institute of Food and Agriculture Lecture Series remains one of the highlights on the University calendar. Go to www.ioa.uwa.edu.au to access presentations by these international, interstate and local presenters.

Positive feedback from external groups suggests that these endeavours to increase the visibility of UWA agriculture amongst its collaborators and partners – research organisations, industry, growers, and agricultural advisors- are bearing fruit.



Winthrop Professor Kadambot Siddique FTSE


Chair in Agriculture and Director, The UWA Institute of Agriculture

## Highlights 2009



## 1. Integrated Land and Water Management Program

The Integrated Land and Water Management Program aims to enhance the sustainability of farming systems by providing leadership in dealing with major challenges in managing land and water resources in agricultural and natural systems, and addressing industry issues and needs from a strong scientific base.



#### Top soil quality website transformation

The DAFWA/UWA Soil Quality website (www.soilquality.org.au) was transformed into one of the top soil quality websites, boasting new and better features following its relaunch in early 2009.

This website is the end product of a 'Healthy Soils' project conducted by UWA and DAFWA staff from 2005 -2008. Up to 25 soil properties across nearly 1300 sites throughout WA's grain growing regions were benchmarked. Analysis of soils included basic physical and nutritional assessments to in-depth biological measurements of labile carbon, microbial biomass and biological soil nitrogen supply. Dr Andrew Wherrett from UWA said that detailed analysis for a wide range of soil quality indicators provides a 'snapshot' of soil performance at a point in time. The long term aim of revisiting these sites will relate variations in management and climate to changes in soil quality.

Website users can detect potential production constraints within a growing region by examining individual soil quality indicators. Users can enter specific soil analysis data and compare these results to those obtained through the 'Healthy Soils' project. Growers involved with the project can access individual results by entering a unique WebID, giving them a

better understanding of soil biological functioning through the 'relationships' section.

Users can now register with www. soilquality.org.au, allowing individual farm soil analysis results storage and claim sample sites from the 'Healthy Soils' project.

Access to information is a significant part of www.soilquality.org.au with a range of fact sheets available to view and download. These provide information on a range of soil issues – from potential management and production constraints, to interpretive guidelines and possible management solutions.

Another first is the 'Organic Matter Biomass' calculator. A lot of crop residue is needed to achieve significant changes in soil carbon levels. This calculator gives the growers a realistic idea of what is needed for a specific increase.

## New project measuring soil carbon for climate change

UWA and the Department of Agriculture and Food Western Australia (DAFWA) are helping farmers increase soil carbon to adapt to climate change and improve soil fertility. This project is part of a national research program funded by the Department of Agriculture, Fisheries and Forestry (DAFF) and the Grains Research and Development Corporation (GRDC).

In future, carbon stored in agricultural soils may be used in emissions trading schemes to offset greenhouse gas emissions. Organic carbon in soil also has a range of benefits for soil fertility and plant growth. It is yet unknown which Australian soils have the most potential to store more soil carbon.

This project will measure soil carbon stocks across the agricultural region of WA and identify which soil types and land uses have potential to sequester more soil carbon. This research will help farmers to know whether the soil types on their properties can hold more organic carbon and which management practices will achieve that increase.

Soils have already been collected from the Esperance Sand Plains from perennial kikuyu pastures and annual pastures. These soil samples will help to determine what existing levels of soil carbon are in south coastal sandplain soils and whether perennial pastures (ie; kikuyu) affect carbon sequestration when compared to annual species.

The project will also compare the effect on organic carbon storage in soil of cropping vs pasture and tillage vs no-till.

This project is another testimony to UWA's international collaboration. Mr Mohd Rizal Ariffin, a PhD student, who came from Universiti Putra Malaysia, is studying his project "Assessing soil carbon sequestration under perennial pastures", funded by the Malaysian Ministry of Higher Education. He has found that potential carbon sequestration in agricultural soils should be researched to generate findings on which to base future policy decisions.

Findings of these research projects will contribute to sustainable soil management and help to ensure the continued viability of Australian agricultural industry in the face of climate change.

This project is funded by the Australian Government's Climate Change Research Program and includes the WA component of the GRDC's commitment to soil carbon research. The project is a collaborative activity between UWA, DAFWA and the Grower Group Alliance (GGA). Assoc/Prof Dan Murphy (UWA) and Dr David Hall (DAFWA) coordinate the project.

#### Nitrous Oxide: no laughing matter

Limiting the amount of nitrous oxide, commonly known as laughing gas, coming out of soils, is also one of the areas researched at UWA.

Assoc/Prof Louise Barton, UWA School of Earth and Environment, is researching ways to decrease the amount of nitrogen coming off cropping soils in South West WA.

She hopes this will lead to more efficient use of fertilisers. The advantage to farmers is that UWA might find approaches that will decrease the greenhouse gas footprint of their product, making them more competitive in future.

The project, funded by the Grains Research and Development Corporation (GRDC) in partnership with DAFF, will also determine if on-farm carbon dioxide emissions from urea can be decreased by substituting urea with grain-legume fixed nitrogen. Nitrous oxide emissions will be measured on a sub-daily basis from lupin-wheat rotations, using soil chambers connected to a fully automated system.

The equipment, purchased for the project by the Department of Food and Agriculture WA (DAFWA), enables simultaneous determination of greenhouse gases.







## 2. Animal Production Systems Program

The animal production systems program works towards developing clean, green and ethical systems for improved animal production.

This concept is more than a major driver of our research because it is also incorporated into teaching of animal science and production program at UWA.

Most of the scientific effort in the Animal Productions Systems program focuses on pasture-based, extensive production systems. The group is also involved in the more intensive industries, such as aquaculture, pig meat, poultry and dairy cattle. They do significant research in the breeding of game birds, including ratites (the emu and ostrich).

#### Animals and climate change

Monitoring burping in sheep is one of the ways UWA strongly contributes to the international investigation of climate change.

During 2009 The UWA Institute of Agriculture was the only institution in Australia to receive funding from the Australian Government Department of Agriculture, Fisheries and Forestry (DAFF) as part of the Climate Change Research Program for research into all three greenhouse gas areas - methane, nitrous oxide and carbon dioxide.

Institute researchers will share in the national funding scheme launched in early 2009, to help adapt agriculture to climate change, in the Australian Government's initiative for primary industries known as 'Australia's Farming Future'.

Over the next four years, \$26.8 million will support 18 projects to investigate ways to decrease greenhouse gas emissions from livestock and research teams investigating soil carbon and nitrous oxide emissions will receive almost \$32 million.

Funding for this highly collaborative program comes from a variety of sources across Australia, including universities, industry groups and state departments.

One of these projects, based at UWA, led by Prof Phil Vercoe is looking at how to minimise the methane output from grazing livestock. The methane mitigation from livestock program is coordinated by Meat and Livestock Australia. An individual sheep burps out about 20 litres of methane a day and cattle up to 280 litres.

If grazing livestock could be bred or fed to produce less methane there would be less greenhouse gas in the atmosphere and the efficiency of meat and wool production could be improved. UWA's sheep breeding project aims to reveal how much of the methane production in sheep is related to their genetics. Developing a simple, quick on-farm method, such as breath testing, will enable methane measurements from large numbers of sheep in the field in a short time.

#### Merino ewes reading the novel ram effect

Research conducted at The UWA Institute of Agriculture and School of Animal Biology has shown that when it comes to getting sheep in the mood and those reproductive juices flowing, nothing beats a little novelty.

PhD student, Ms Trina Jorre de St Jorre has been examining the 'ram effect' on ewes where the sudden introduction of rams has merino ewes ovulating within two to three days.

The 'ram effect', also known as 'teasing', is a cheap and efficient way to synchronise mating and lambing in a flock, offering farmers a non-hormonal way to control reproduction. This husbandry management method has been used since the 1940s, with UWA conducting pioneering research into it.

One of the practical problems with the 'ram effect' is that ewes must be isolated from the rams for it to work. Ms Jorre de St Jorre's research clearly shows that separating ewes from rams really isn't necessary if the rams used to tease the ewes are novel. Her research also examined the minimum time of separation necessary for a familiar ram to become novel again.



This research might eventually lead to farmers eliminating the use of hormones for timing reproduction.

Ms Jorre de St Jorre's research could be vitally important to the future of sheep farmers in Australia. Consumers are increasingly demanding clean, green, ethical sources of meat that are hormone free. This excellent combination of fundamental and applied research will provide farmers with natural techniques to control reproduction and manage the timing of reproduction in their flocks.

The natural approach is also very cost effective for farmers, as it relies on behavioural intervention to control reproduction, rather than expensive methods based on hormones. It will help give Australian farmers a competitive advantage over their European counterparts.





## 3. Plant Production Systems Program

The Plant Production Systems program endeavours to contribute to the productivity and sustainability of plant-based Australian agriculture through the application of science and technology. Australian agriculture includes a large land area (300-600 mm winter rainfall) devoted to rain-fed annual temperate crops, pastures/livestock. There is also much more intensive agriculture in areas of high rainfall and/or irrigation with crops (cotton, vines, orchards, vegetables, flowers etc), perennial pastures/livestock and other higher value agricultural products. The UWA Institute of Agriculture Plant Production Systems activities come under two areas of extensive and intensive agriculture.

## Excellence training: Linking practical plant breeding and association genetics

At the end of 2009 UWA hosted 80 of the world's leading scientists from 13 countries at the first OECD-sponsored conference held in WA. The topic was Genome-wide association mapping. Grains Research and Development Corporation (GRDC) and UWA were the event's co-sponsors.

This conference came at a time when major advances are occurring through genome association mapping in humans, animals and some plant species. The challenge of this conference was to provide plant breeders with a clear path towards the application of association mapping to plant genetic improvement.

The keynote speaker at the event was a world expert in the human genome: Prof Bruce Weir, Chair and Professor of Biostatistics, and Adjunct Professor of Genome Sciences, at the University of Washington, USA. Prof Weir is Director of the GENEVA project, a consortium of 14 whole-genome studies. He was selected to spearhead the conference because of his bio-statistical experience



- considered to be invaluable in guiding plant scientists in the area of association genetics, which while highly developed in humans, is just starting in plants.

All the OECD-invited speakers were international experts in molecular marker discovery, plant genetic mapping, new biometrical approaches to plant breeding, human genetics and animal breeding.

The OECD Co-operative Research Program's Biological Resource Management for Sustainable Agricultural Systems funded the 16 invited international speakers to travel to Perth. A number of PhD students, representing the future of plant breeding, also attended courtesy of GRDC sponsorship which allowed a generous subsidy to students at this conference.

## Novel alternatives show potential for WA pastures

Research conducted by the UWA School of Plant Biology and The UWA Institute of Agriculture has demonstrated that several herbaceous legumes may be viable alternatives to lucerne under low phosphorus conditions for West Australian farmers in areas where lucerne performs poorly.

The research compared the growth of 10 native and exotic herbaceous legumes to lucerne growing in glasshouses, supplied with different levels of phosphorus.

The study found that four species, Bituminaria bituminosa, Glycine canescens, Kennedia prostrata, and K. prorepens, grew better than lucerne in low phosphorus conditions and that two species, B. bituminosa and G. canescens, used phosphorus applied to soil more efficiently than other species where low phosphorus was a problem.

Funded by the Australian Research Council (ARC), Department of Agriculture and Food Western Australia (DAFWA) and Heritage Seeds, Research Associate, Dr Jiayin Pang, School of Plant Biology says that the research could have important implications for WA farmers, because developing new perennial pasture legumes that take up or use phosphorus more efficiently than lucerne is important in the face of dwindling global phosphorus reserves and the rising cost of fertilisers.

Many farmers need a viable alternative to lucerne because it's poorly adapted to acidic sandy soils, waterlogging and salinity and doesn't do well in hot and dry conditions. Many of the legumes tested were native species well adapted to local environmental conditions, such as low rainfall, acidic soils and low fertility.

The research also found that exotic perennial legumes, such as *B. bituminosa*, could also fill low phosphorus niches where lucerne production was poor. Even though it is promising, the results of this glasshouse study will need to be validated with long term field studies. These will identify if native perennials can accumulate large

amounts of phosphorus from heavily fertilised, high phosphorus soils. Many native legumes regulate phosphorus uptake poorly when soil phosphorus supply is increased, resulting in phosphorus toxicity.

Dr Pang's research will also determine if native and exotic legumes can use phosphorus already in the soil more efficiently, thereby reducing the need for additional fertiliser application.

Large scale use of phosphorus has seen a rapid depletion of global reserves, which are expected to halve by 2060. This poses a significant challenge for Australian agriculture with its phosphorus deficient soils and the heavy use of phosphorus fertiliser.

Australian native and novel exotic perennial legumes, such as those identified and currently being developed by Future Farm Industries CRC and UWA, could alleviate this problem.

Other project collaborators include ChemCentre, Facey Group and the Mingenew Irwin Group.





# 4. Rural Economy, Policy and Development Program

The overall objective of the Rural Economy, Policy and Development program is to enhance the sustainability of rural industries, communities and regions. More specifically, the program aims to provide innovative research and education that: improves the productivity and prosperity of agricultural industries; addresses the environmental challenges facing rural regions; contributes to the broader economic and social development of rural industries, communities and regions; and enhances decisionmaking and rural policy.



### Staying on top of agricultural economics:

Increasing numbers of undergraduate and postgraduate students enrolling in the UWA School of Agricultural and Resource Economics (SARE) shows a renewed interest, especially in agribusiness.

SARE has backed this up by employing two lecturers, Assistant Professors James Fogarty and Amin Mugera. They bring expertise in the economics of food and beverage production, agricultural marketing and their wider effects on farm management and labour.

Dr Fogarty, a UWA graduate, has published a paper on Australia's fine wine production sector, while Dr Mugera, from Kansas State University, USA, has written broadly on agribusiness.

The appointments come on the back of UWA's strong showing at this year's Australian Agricultural and Resource Economics Society awards, where its researchers picked up four honours, including two of the most prestigious, for 'best published article' and 'quality of research discovery'.

These appointments will help UWA to maintain its leading international standing, while meeting the growing needs of the regional agricultural economy.

Enrolments at FNAS surged almost 10 percent in the last year alone, to top off a half decade of growth that has seen numbers swell to about 700 full time students. This expanding demand reflects the industry's need for smart solutions to economic, environmental and social challenges in agriculture. All the research and intellectual tools UWA delivers must be affordable and the Agricultural and Resource Economics School ensures The University delivers that value ie; providing an economic analysis of the science.

In a recent benchmarking study that compared UWA's School of Agricultural and Resource Economics against leading university agricultural schools from around Australia and the world, it was found UWA published more papers on agricultural economics than any competitor. Its research was also cited more than twice as much as research from any other Australian university.

UWA's agricultural and resource economics group ranked number one against the best in Australia and also performed against comparable schools in North America and Europe. Although already in a strong position, these new appointments will help UWA to continue to improve its track record for delivering top quality research and training.



## New centre brings together environment and economics

A new centre that recognizes the crucial role of research in bringing environmental, economic and social benefits to Australia was opened in July 2009 at UWA by Professorial Fellow and former WA Premier, Dr Carmen Lawrence.

The Centre for Environmental Economics and Policy, in FNAS aims to develop and apply models and decision frameworks that push forward the frontiers of environmental policy design, focusing on scientific outcomes within an economic framework.

CEEP houses a team of researchers who are experts at integrating the disciplines of Physical Sciences, Biology, Social Sciences and Economics, and who work closely with practitioners and Government agencies.

The Centre's research covers issues such as biodiversity conservation, native vegetation, pollution of waterways, environmental pests, climate change and land degradation.

Led by Director, UWA Australian
Research Council Federation Fellow
W/Prof David Pannell, the Centre
encourages collaborative and innovative
research. W/Prof Pannell has an
outstanding track record of linking
research to policy to enhance natural
resource management outcomes.





## 5. Education, Outreach and Technology Exchange Program

The Education, Outreach and Technology Exchange program has the following objectives:

- To attract and train outstanding undergraduate and post-graduate students in a range of scientific disciplines leading to careers in agriculture and natural resource management;
- To provide professional training to people already in the workforce to augment their skills to better serve the agricultural and natural resource management industries;
- To facilitate opportunities for technology exchange and knowledge transfer to industry and the rural community;
- To communicate the role of The University of Western Australia in education, training and technology exchange to farmer groups, agribusiness, collaborators (national and international), funding bodies and potential students, highlighting the benefits contact with UWA may bring; and
- To raise public awareness and understanding of the significance of agriculture and natural resource management to WA and the national economy.

## Eureka prize winner offers agricultural value

The development of an advanced colour near infra-red spectrometer has not only won W/Prof Laurie Faraone, W/Prof John Dell, and the Microelectronic Research Group at UWA the Inaugural Defence Science and Technology Organisation Eureka Prize for Outstanding Science Award, but it is also good news for the agriculture sector.

This technology's sophisticated optics, mainly intended for combat situations, allows for calibration to measure grain moisture, and protein and soil nutrient levels. Another bonus is the size of the spectrometer's package: fast, accurate, portable, robust and low cost.

The Microelectronics Research Group, led by W/Prof Faraone, developed a filter which enables creation of colour images. The filter enables scanning smaller areas. This means less data is required to generate images and improve real-time use of infrared.

This technology could be used in realtime soil monitoring and characterisation of grain during harvesting. This work has attracted \$1.5 million funding from the Grain Research and Development Corporation (GRDC) to measure starch, protein and oil for sorting the grain and getting the best value for it. The original program was funded by the US Defence Department at the Defence Advance Research Projects Agency.

Future applications of this technology will include monitoring of soils for carbon sequestration.



#### UWA 2009 Industry Forum

The 3rd UWA Institute of Agriculture Industry Forum, held on 31 July 2009 was attended by 60 people representing industry, growers, postgraduate students and the research community. The Forum entitled, "Healthy farming- stronger communities?" explored a diverse range of issues and challenges affecting farmers. W/Prof Alan Robson, AM, Vice Chancellor, UWA officially opened the forum.

Speakers from Interstate, WA and UWA included: A/Prof Bill Pritchard (University of Sydney), Dr Neil Argent (University of New England), Ms Wendy Newman (Heartlands regional branding group) and Ms Jacqui Biddulph (Challenge Dairy Cooperative). A/Prof Bill Pritchard (University of Sydney) made the case for the economic and social embeddedness of family farms in local economies. He was followed by Dr Neil Argent (University of New England) who spoke about "The shifting demographic structures of agricultural regions". Other topics included "Living Standards and Western Australian Agriculture in Regional Economic Development Perspective" (Dr Nazrul Islam), "The Heartlands regional branding group" (Ms Wendy Newman), "The Challenge Dairy Cooperative-Farmers work together: the influence on the rural community" (Ms Jacqui Biddulph), "When the family farm hits the health food market" (Mr John Foss), "Adding value whilst being compliant with Environmental Management Systems" (Ms Rachel Bagshaw),

"Indigenous economic development and agriculture" (Mr Graham Ellis-Smith and Mr Oral McGuire), "The human face of agricultural regions: the example of men's health" (Mr Julian Kreig) and "Labour shortages" (Prof Matthew

For a more in depth look at the Industry Forum go to www.ioa.uwa.edu.au/papers/industryforum.

#### Iraqi training program

UWA and its Institute of Agriculture continued to play an important role expanding the capacity of Iraqi agriculture; training Iraq's brightest and best graduate agriculture students during 2009.

Ten graduate students joined UWA in early 2009 to study their Master of Science degrees in Animal Science, Plant Pathology, Genetics and Breeding and Agricultural Resource Economics. These students are employed by the Iraqi Ministry of Agriculture, and funded by Australia-Iraq Agricultural Scholarships provided by the Australian Government under the AusAID Scholarship Program.

In September 2009 W/Prof Siddique met with Iraqi Agriculture Ministerial staff, ICARDA and Australian collaborators in Aleppo, Syria, to discuss the conservation cropping project's progress and future direction. This includes two Masters students and one PhD student from Iraq joining UWA in 2010.

While in Syria, he also discussed UWA's involvement with further capacity building in Iraq with His Excellency Robert J Tyson, Ambassador, Australian Embassy, Baghdad.

The major outcome of UWA's assistance to Iraqi agriculture is helping the country's national agricultural agencies develop sufficient technical capacity to plan, implement and monitor R&D programs that will make it more self sufficient in food

The School of Earth and Environment at UWA hosted a "Land Management and Soil Fertility" course for trainees from Iraq funded by AusAID through Coffey International in August 2009.

The group of 24 attended a series of specialised lectures, practical sessions, field trips and laboratory visits during their five week stay. The sessions were presented by UWA staff and scientists and managers from government and industry. Participants discussed various aspects of land management with experts in the field and forged professional relationships. All the trainees presented their work at a seminar day held at the end of the course.

The trainees were from a variety of scientific backgrounds, many from managerial roles within the Iraqi Ministry of Agriculture. Some work in more remote provinces of Iraq including Babylon, Al Mushraq and Dhi-Qar. Their research interests include work with salinity, tomatoes, date palms and irrigation.





#### 2009 Postgraduate Showcase

2009 Frontiers in Agriculture postgraduate showcase on June 23 was no exception to previous years and proved the high quality education in agriculture at UWA. Eight students from the four schools within the Faculty of Natural and Agricultural Sciences (FNAS) presented their work at the showcase, displaying a high quality of research and communication skills. All the presentations are available on The UWA Institute of Agriculture website (www.ioa. uwa.edu.au). See table 1 below.

Table 1: 2009 Postgraduate Showcase Frontiers in Agriculture

in Agriculture			
Session 1:			
Mr Ahmed Ali	Use of Pectinases to Improve the Nutritive Value of Lupins for Poultry		
Ms Trina Jorre de St Jorre	Non-hormonal control of ovulation in sheep		
Ms Annaliese Mason	On the road to a Super Brassica crop species: investigating problems of infertility and instability through cytogenetics		
Mr Sudheesh Manalil	The effect of low rates of herbicides on the gene flow and evolution of herbicide resistance in Lolium rigidum (ryegrass) and its modeling		
Mr Dion Nicol	Agronomic and ecophysiological studies of <i>Cullen cinereum</i> and <i>C. graveolens</i> as potential pasture legumes in low rainfall regions of the southern Australian wheatbelt		
Session 2:			
Ms Jennifer Carson	Influence of rock fertilisers on soil microorganisms in an organic pasture		
Ms Bronwyn Crowe	The design of biodiversity conservation contracts under uncertainty		
Mr Gus Rose	Changing the ownership- management paradigm in broadacre farming: will crop-dominant farming systems be more profitable if farmers outsource their sheep management?		

#### UWA Future Farm Open Day

About 200 researchers, industry members and the wider agricultural community, including local farmers and grower group leaders from the region, flocked to UWA Future Farm on 20 November for its opening by Honourable Robyn McSweeney, Minister for Child Protection, Community Services, Women's Interests and Seniors and Volunteering.

Guests included: W/Prof Lyn Beazley (Chief Scientist WA), Mr Ray Marshall (Councillor and farmer, Pingelly), Mr Rob Delane (Director-General DAFWA), and W/Prof Alan Robson (Vice-Chancellor, UWA). The Open Day drew many journalists and was featured extensively in agricultural publications. The event was advertised widely within agricultural and rural papers.

The research displayed and presented was: cropping, canola, rainfall simulation, regional development, soil quality, ecological restoration, herbicide resistance, clean, green and ethical animal production, GIS, Forest Products Commission, Carbon Neutral, Faculty of Agriculture, and projects with CSIRO and DAFWA.

The complete newsletter article can be found online at http://www.ioa.uwa.edu.au/\_nocache/?a=631366.

#### Dowerin Field Day

The UWA Institute of Agriculture, as part of its Technology Exchange and Outreach programme, showed its commitment by displaying at Dowerin Field Day for the third consecutive year from 25 – 26 August. The display showcased some of the latest agricultural research at UWA.

Field Day goers could get information on the UWA Institute of Agriculture, FNAS undergraduate courses, *Ascochyta Blight* resistant chickpeas, salt tolerant wheat, glyphosate resistant ryegrass, novel pasture species, Soil Quality website, biochar and a mulesing survey. The IOA Communication Officer, Mrs Erika von Kaschke, and FNAS Marketing Officer, Mrs Chris Hale, ran the booth situated in the Education Pavilion.

The involvement of the UWA Institute of Agriculture in the Dowerin Field Days, which attract over 16,000 people, is a useful promotional exercise to illustrate the educational opportunities and research capabilities in natural and agricultural sciences at UWA. The majority of the visitors to the display were farmers, parents of primary and secondary school students, or students enrolled at UWA or other tertiary institutions.

### IOA newsletter reaching wider audience

The UWA Institute of Agriculture aims to bring high quality relevant information on its activities to alumni, agribusiness, growers and industry, funding bodies, research institutions, and UWA staff. The newsletters were published during March, August and December 2009.

#### Media releases and publications

The UWA Institute of Agriculture sustained its presence in the media during 2009. The Institute with the support from Brendon Cant and Associates, issued 21 media statements during the year. These media statements received several hits nationally and internationally.

Table 2: 2009 Media Statements

Table 2: 2009 Media Statements						
Date released	Media Statements					
20 January 2009	UWA agriculture moving up in the world					
20 February 2009	Agriculture expert lauded in India					
24 February 2009	Mason builds on UWA Super Brassica research in France					
29 April 2009	UWA agriculture moves from strength to strength					
11 June 2009	Finding quality time for your sheep					
15 June 2009	UWA wins \$833,000 funding to future-proof table grape industry					
17 June 2009	Computer model looks at classical swine fever outbreak in feral pigs					
1 July 2009	Novel alternatives show potential for WA pastures					
7 July 2009	New centre brings together environment and economics					
22 July 2009	UWA Institute of Agriculture postgraduates explore new agricultural frontiers					
6 August 2009	Merino ewes reading the novel ram effect					
25 August 2009	UWA and Chinese Universities hatch plans for collaboration					
5 September 2009	No ordinary Bloecker					
21 October 2009	UWA masters at aiding Iraq					
11 November 2009	Human genome experts to help plant breeders feed the world					
11 November 2009	A variety of findings for young and old					
13 November 2009	Clean green farm will make every raindrop count					
30 November 2009	Saving freshwater fish – and human health					
10 December 2009	Down to earth approach to climate change					
11 December 2009	New staff help keep UWA on top of agricultural economics					
21 December 2009	Climate change no laughing matter at UWA					

#### Website - www.ioa.uwa.edu.au

The UWA Institute of Agriculture's website is packed with vital information. It is the first port of call for information on UWA agriculture related activities. The website is updated regularly, holding current and archived data. The archived lecture papers and presentations, and news receive the most hits by internet users.

#### Food and Agriculture Lectures

- There were four public lectures and two occasional lectures (Table 2) arranged under the banner of The UWA Institute of Agriculture "Food and Agriculture" attracting audiences of between 30 and over 90 people.
- The local and international speakers were all very well received and their subject matter provoked interest and discussion in a range of areas.
- Details of these public lectures are available on the IOA website (www.ioa.uwa.edu.au).

#### Mike Carol Traveling Fellowship

Ms Annaliese Mason, agricultural science PhD student at UWA, was awarded the prestigious 2008 Mike Carroll Travelling Fellowship early February 2009.

She spent six weeks in France researching how to combat potential problems of abnormal chromosome associations in Super Brassica plants.

Mrs Helen Carroll said the Fellowship honoured her deceased husband, former Director General of the WA Department of Agriculture, Dr Mike Carroll.

Recipients are chosen on their academic abilities, relevance of studies to an important area of Australian broadacre agriculture, their potential to benefit from the experience and their enthusiasm to impart the findings of their travels to the scientific, farming and wider community on their return to WA.

Table 3: Food and Agriculture Lectures 2009

Date	Presenter	Organisation	Title	
3 March	Dr Doug Edmeades	Managing Director, agKnowledge Ltd, New Zealand	"Science under threat. Why and what must be done?"	
24 March	Assoc/Prof Patrick J Tranel	University of Illinois, USA	"The ongoing battle between humans and weeds: Who is winning?"	
10 July	Dr William D Dar	International Crops Research Institute for the Semi Arid Tropics (ICRISAT)	ICRISAT: Champions of the poor of the semi-arid tropics	
17 August	Dr Yunbi Xu	Applied Biotechnology Center International Maize and Wheat Improvement Center (CIMMYT), Mexico	A roadmap from the genomics revolution to a new era in public plant breeding	
Occasional	lectures			
29 July	Prof Prasada Rao	Department of Agricultural Meteorology and Associate Director Research, Kerala Agricultural University, India	Climate change adaptation initiatives in Kerala (India) under the humid tropics	
18 August	Assoc/Prof Sven- Erik Jacobsen	Department of Agriculture and Ecology University of Copenhagen, Denmark	Climate proof cropping systems and the potential for under-utilised species in the Mediterranean environment	

#### Research facts

Agriculture and agricultural research has long been recognized as a major strength at UWA nurtured over many years by a succession of innovative agricultural scientists. It has also been identified in the Operational Priorities Plan for the University (2009-2013) as one of the University's six strategic research areas.

Flowing from this, the University has analysed the impact of our research publications over the period 2001-2007.

The analysis compared UWA's research performance with all other Australian universities listed in the Thomson Reuters University Science Indicators (36 universities) database and also with a group of four internationally recognised universities positioned above UWA on the Shanghai Jiao Tong University Rankings (http://www.arwu.org/rank2008/EN2008.htm).

This international group included the University of Wisconsin Madison (US), the University of Toronto (Canada), the University of Bristol (UK) and the University of Sheffield (UK). For agricultural sciences our international benchmark was the University of Wisconsin Madison, which is widely recognized as one of the world's leading agricultural universities.

The data presented in Table 5 clearly shows the strength of this research base and its standing nationally and internationally. In USI subject fields directly related to agriculture (Agronomy, Agricultural Economics & Policy, Agricultural Soil Sciences, Plant Sciences, and Agricultural Dairy and Animal Sciences) UWA produced more indexed publications than any other Australian university and in three of the five areas out-performed all of the international benchmark universities.

A measure of the impact of our research is provided by the number of times these publications are cited. Again, in Agronomy, Agricultural Economics & Policy and in Agricultural Soil Sciences our cited works rank #1 in Australia and against the international benchmark universities.

In plant sciences our citations rank second to ANU in Australia with both Australian universities ranking behind the University of Wisconsin Madison. For Agricultural Dairy & Animal Science, UWA is ranked # 6 on both the number of outputs and citations and #8 relative to the international benchmark universities.

All of the Australian universities are positioned behind the University of Wisconsin Madison and the University of Bristol in this field. This is an excellent performance that testifies to the standing of agricultural sciences in WA.



Table 4: UWA's Research performance in agricultural and environmental research\*

Subject	Institution	# Papers	Rank Australia	# Cites	Rank Australia	International Benchmark <sup>1</sup>
Agronomy	UWA	241	1	1443	1	1
	Queensland	200	2	694	3	5
	Adelaide	155	3	746	2	4
	Melbourne	81	4	475	4	6
	Sydney	81	5	420	5	7
Agricultural Economics & Policy	UWA	54	1	179	1	1
	ANU	27	2	77	2	3
	UNE	25	3	69	3	4
	Sydney	17	4	29	7	7
	Melbourne	15	5	27	8	8
Agricultural Soil Sciences	UWA	238	1	1058	1	1
	Adelaide	123	2	703	2	2
	Queensland	91	3	326	6	6
	Sydney	85	4	515	3	3
	Melbourne	60	5	392	5	5
Plant Sciences	UWA	622	1	5336	2	3
	ANU	531	2	5568	1	2
	Adelaide	492	3	3665	3	5
	Queensland	447	4	2581	5	9
	Melbourne	404	5	3274	4	7
Agricultural Dairy & Animal Sciences	Queensland	135	1	289	4	6
	New England	123	2	503	2	4
	Melbourne	121	3	410	3	5
	Sydney	109	4	504	1	3
	Adelaide	56	5	183	5	7
	UWA	41	6	117	6	8
	Murdoch	28	7	89	8	10
	Monash	26	8	116	7	9

<sup>\*</sup> Publication impact of Australian Universities over the period 2001-2007. Data only presented for the top 5 Universities (# papers) in each of the subject fields. The top 8 are shown for Agricultural Dairy and Animal Science. Analysis prepared using the Thomson Reuter's University Science Indicators database.

International benchmark refers to the performance of 4 international universities in each of the selected fields. All of the Universities, University Wisconsin Madison (US), University of Toronto (Canada), University of Bristol (UK) and University of Sheffield (UK) are positioned above UWA on the Shanghai Jiao Tong University Rankings.



## National and International Engagement





The UWA Institute of Agriculture has maintained its excellent relationship with several international Universities. New ties were strengthened by signing several Memorandums of Understanding (MoU's).

The Institute continues to make linkages with organisations and Universities across the globe. During 2009 we received almost a hundred national and international visitors including His Excellency Mr Mahmoud Movahhedi (Ambassador of the Islamic Republic of Iran), Dr Michel Thibier (Conseiller Scientifique, French Ambassy) and Prof Dyno Keatinge (Director General, AVRDC-The World Vegetable Centre, Taiwan).

- Four MoU's were signed with: Punjab Agricultural University (India), Beijing Forestry University (China), South China Agricultural University (China), and Kerala Agricultural University (India).
- New projects: Australian Research Council (ARC), Grains Research and Development Corporation (GRDC), Rural Industries Research and Development Corporation (RIRDC), The Council of Grain Grower Organisations (COGGO), Australian Centre for International Agricultural Research (ACIAR), etc.
- During August 2009 thirteen Deans from six agricultural universities around China visited UWA for a three-day workshop on agricultural research and education. UWA participants included W/Prof Tony O'Donnell (Dean, FNAS), W/Prof Kadambot Siddique (Director, IOA), W/Prof Graeme Martin (Head, School of Animal Science), and W/Prof Hans Lambers (Head, School of Plant Biology). The visiting Deans were impressed by the world leading position of UWA in agricultural research and teaching, the research facilities, and by efforts of UWA to establish and strengthen long-term partnerships with renowned Chinese universities.

### Awards



The UWA Institute of Agriculture and associated staff and students were recognised for their successes and achievements in their fields during 2009.

#### Notable ones are:

- W/Prof Lyn Beazley (Officer of the Order of Australia for her work in scientific research, education and outreach),
- Dr Alexander Campbell (Honorary Doctor of Science),
- Res/Assist/Prof Sally Marsh and W/Prof David Pannell (The Australian Research Council Eureka Prize for Excellence in Research by an Interdisciplinary Team),
- W/Prof Kadambot Siddique (Gold medal from the Indian Society of Pulse Research and Development), and
- W/Prof Alan Robson (Citizen of Western Australia).

## New research projects

Table 5: New research projects

Title	Funding Period	Funding Body	Supervisor(s)
Quantifying a prototype machine to destroy weed seeds during the grain harvest operation	2009-2011	Grains Research and Development Corporation (GRDC)	W/Prof S Powles and Dr M Walsh
SaltCap and SaltDecide	2008-2011	Future Farm Industries (FFI) CRC	Dr R George , Adjunct Associate EG Barrett- Lennard and Dr SJ Bennett
Improving food and biofuel production in changing climates – development of new brassica polyploids in Australia and China	2009-2010	International Science Linkages (ISL) - Australia-China Special Fund for S&T Cooperation Funding Agreement	W/Prof Kadambot Siddique, Prof Wallace Cowling, A/Prof Guijun Yan and collaborators from Huazhong Agricultural University and Zhejiang University.
Optimising biodegradation and removal of organic and inorganic pollutants in wastewater using constructed wetlands	2008-2011	Australian Research Council (ARC) Linkage	W/Prof Z Rengel and K Meney
Biofiltration of stormwater	2009-2010	Department of Water WA, Perth	W/Prof Z Rengel
Strengthening the capacity of the counterpart organisation to both assess the flow of antioxidants and omega-3 fatty acids within the ecosystem of the Tibet Plateau and defining their protective roles in the health of Tibetan pastoralists.	2009-2010	AusAID	A/Prof Philip Vercoe, Dr Shimin Liu
Breakthrough methods for antioxidant research in grape: implications for nutritional quality	2009	British Council	Dr Michael Considine
Weed Seed Wizard	2008	CFC for Australian Weed Management	Dr Michael Renton
Modelling transplant growth in <i>Posidonia</i> species	2008	Cockburn Cement Ltd	Dr Michael Renton
Quantifying and predicting agricultural systems- protein in wheat	2008-2009	Department of Agriculture and Food WA	Dr Michael Renton
Development of conservation cropping systems in the drylands of Northern Iraq	2008-2011	ICARDA	W/Prof Kadambot Siddique
QBA- Animal welfare objectives measures research program- Qualitative behavioural assessment as an integrated measure of welfare	2007-2010	Murdoch University ex Meeat and Livestock Australia	Assoc/Prof Dominique Blache
Drought tolerance of novel perennial legumes	2008-2010	Rural Industries Research and Development Corporation	Dr Megan Ryan
Greenhouse gas abatement and feed efficiency	2009	Sheep CRC Ltd	A/Prof Phil Vercoe and Dr Zoey Durmic
Water resources and freshwater biodiversity	2008-June 2013	Australian Federal Government (the Department of Climate Change)	Prof Peter Davies
Developing a 3D movie generation system for use with ROOTMAP	2008-2009	University of Tasmania	Assist/Prof Michael Renton
Forecasting spread for rapid response	2008-2011	CRC Plant Biosecurity	Assist/Prof Michael Renton
Development of a salt and waterlogging tolerant wheat	2010-2011	Future Farm CRC ex GRDC	Prof Tim Colmer, Adjunct Associate Prof. Edward Barrett-Lennard and Dr Rafiq Islam
Development of native plant industries for an innovative sustainable and profitable Great Southern Region	2009	Great Southern Development Commission	Dr Geoff Woodall
Assessment of sediment erosion and soil sampling methods applied in WA	2009	WA Department of Agriculture and Food	Dr Karen Homes and Dr Neil Coles



Title	Funding Period	Funding Body	Supervisor(s)
Determining root longevity in an Australian perennial monocotyledon	2009	AINSE Research Training	Dr Michael Shane
Development of methods for freezing ratite semen as part of a long term goal to develop a viable artificial insemination technology for ratites	2009	Australian Academy of Science: International programs	Dr Irek Malecki
Pollen-mediated gene flow in weed species from adjacent farms into organic farms	2009	Department of Agriculture Fisheries and Forestry (DAFF)	Dr Roberto Busi, W/Prof Steve Powles and Dr Qin Yu.
Optimal investment in R&D for Plant Biosecurity	2009-2011	CRC Plant Biosecurity	Prof Benedict White
Influence of High Temperature on Phenology, Metabolism and the Fate of Auxillary Buds and Inflorescences in Grapevine	2009-2014	Gascoyne Table Grape Growers Association Department of Agriculture and Food Western Australia	Assist/Prof Michael Considine, W/Prof Jim Whelan, Dr Colin Gordon
Mechanisms and Manipulation of Seed Dormancy Maintenance in Annual Ryegrass and other Weed Species	2009-2011	Botanic Gardens and Parks Authority	W/Prof Steve Powles, Adjunct Prof Kingsley Dixon
Simulation Technology for Modelling Extreme Bushfire Behaviour	2009-2013	Fire and Emergency Services Authority of Western Australia Landgate	W/Prof George Milne and Prof John Dold
Overcoming paraquat resistance: The potential for herbicide mixtures to reverse paraquat resistance	2009	Department of Agriculture, Fisheries and Forestry (DAFF)	W/Prof Stephen Powles,
Identifying the basis of dual glyphosate and paraquat resistance in Lolium rigidum selected at reduced rates of glyphosate	2009	Department of Agriculture, Fisheries and Forestry (DAFF)	W/Prof Stephen Powles,
Overcoming and avoiding metabolism based herbicide resistance in Lolium rigidum	2009	Department of Agriculture, Fisheries and Forestry (DAFF)	Dr Todd Gaines and W/Prof Stephen Powles
Conference sponsorship application: Exploiting genome-wide association in oilseed <i>brassicas</i> : A model for genetic improvement of major OECD crops for sustainable future farming.	2009	Grains Research and Development Corporation (GRDC)	Prof Wallace Cowling and Prof Willie Erskine
Travel grant: Fourteenth Australasian Plant Breeding Conference.	2009	Grains Research and Development Corporation (GRDC)	Res/Assist/Prof Jon Clements
Generation of genetically modified herbicide tolerant narrow leaf lupin	2009-2013	Grains Research and Development Corporation (GRDC)	Prof Willie Erskine, Assoc/Prof Susan Barker and W/Prof Kadambot Siddique
Interspecific hybrids in lupins- stabilisation and trait transfer to fixed lines for lupin crop improvement	2009-2011	Grains Research and Development Corporation (GRDC)	Res/Assist/Prof Jon Clements
Agricultural benefits of green manuring leaf biomass from Bioenergy crops	2009-2012	Rural Industries Research and Development Corporation (RIRDC)	Dr Robert Sudmeyer and Dr Neil Coles
Feed efficiency maternal productivity and responsible resource use	2007-2010	WA Department of Agriculture and Food Ex Beef CRC	Assoc/Prof Dominique Blache
Predicting ethical consumers intentions to purchase wool apparel and their willingness to pay for ethical attributes	2010	UWA Research Development Award Scheme	Assist/Prof Joanne Sneddon
Sexual conflict in honey bees- the molecular response of queens to seminal fluid	2010	UWA Research Development Award Scheme	Dr Veronica Poland
Pasture soil amelioration with chicken litter	2009-2010	BHP Billiton Worsley Alumina	Prof Mark Tibbett

## The UWA Institute of Agriculture team

## Director and support team



Winthrop Prof Kadambot Siddique Chair in Agriculture and Director Email: kadambot.siddique@uwa.edu.au



Associate Prof Phil Vercoe Deputy Director Email: phil.vercoe@uwa.edu.au



Mrs Pam Townshend
Personal Assistant
Email: pam.townshend@uwa.edu.au



Mrs Erika von Kaschke Communications Officer Email: Erika.vonKaschke@uwa.edu.au



**Dr Helen Bramley**Research Associate
Email: Helen.Bramley@uwa.edu.au

## Executive Team

Winthrop Prof Tony O'Donnell (Chair) Dean, Faculty of Natural and

Agricultural Sciences Email: tony.odonnell@uwa.edu.au

Winthrop Prof Kadambot Siddique

Chair in Agriculture and Director, Institute of Agriculture

Email: kadambot.siddique@uwa.edu.au

Mrs Christine Richardson

Faculty Manager (FNAS)
Email: christine.richardson@uwa.edu.au

Winthrop Prof Graeme Martin Head of School of Animal Biology Email: graeme.martin@uwa.edu.au

Winthrop Prof Hans Lambers

Head of School of Plant Biology Email: hans.lambers@uwa.edu.au

Prof Ben White

Head of School of Agricultural and Resource Economics Email: ben.white@uwa.edu.au

Winthrop Prof Lyn Abbott

Head of School of Earth and Environment

Email: lyn.abbott@uwa.edu.au

Winthrop Prof Peter Davies

Centre of Excellence in Natural Resource Management

Email: peter.davies@uwa.edu.au

#### **External Advisory Board**



Mr Bruce Piper
Farmer and Chairman, COGGO (Chair)

**Dr Stephen Loss** (Manager, CSBP)

Mr Neil Young Farmer and Chairman, GRDC Western Panel

Mr Philip Gardiner
Farmer and MLC (Agricultural Region)

Mr David Fienberg Manager Aust. Grains Centre/ Metro Grains Centre, CBH Group

Mr Garry Robinson Manager, Livestock Export, Wellard Rural Exports Pty Ltd

**Dr Peter Trefort**Director, Hillside Meats

**Dr Tony Fischer** Honorary Research Fellow, CSIRO

**Dr Jim Fortune**Agricultural Consultant

Ms Naomi Arrowsmith Manager, Department of Water, Albany

Dr Don McFarlane CSIRO, WA Co-ordinator:

Water for a Healthy Country Flagship

**Dr Peter O'Brien**Managing Director, RIRDC

Mr Roger O'Dwyer

Executive Director, Industry & Rural Services, DAFWA

Mr Andrew Ritchie President, AAAC

Winthrop Prof Tony O'Donnell Dean, Faculty of Natural and Agricultural Sciences, UWA

Winthrop Prof Kadambot Siddique Director, IOA, UWA

Mrs Christine Richardson Faculty Manager, Faculty of Natural and Agricultural Sciences, UWA

## Programs leaders and deputy leaders

Integrated Land and Water Management



Winthrop Prof Zed Rengel Email: zed.rengel@uwa.edu.au



Associate Prof Daniel Murphy Email: dan.murphy@uwa.edu.au

Animal Production Systems



Winthrop Prof Graeme Martin Email: graeme.martin@uwa.edu.au



Associate Prof Phil Vercoe Email: phil.vercoe@uwa.edu.au

Plant Production Systems



Winthrop Prof Stephen Powles Email: stephen.powles@uwa.edu.au



Associate Prof Guijun Yan Email: guijun.yan@uwa.edu.au

Rural Economy, Policy and Development



**Prof Matthew Tonts** Email: matthew.tonts@uwa.edu.au



Assistant Prof Amin Mugera Email: amin.mugera@uwa.edu.au

Education, Outreach and Technology Exchange



Winthrop Prof Kadambot Siddique Email: kadambot.siddique@uwa.edu.au



Mrs Christine Richardson Email: christine.richardson@uwa.edu.au

## Research Publications 2009

#### Refereed journals

Adhikari KN, Buirchell BJ, Thomas GJ, Sweetingham MW and Yang H (2009). Identification of anthracnose resistance in *Lupinus albus L*. and its transfer from landraces to modern cultivars. *Crop and Pasture Science* 60(5): 472-479.

Anderson WK (2009). Closing the gap between actual and potential yield of rainfed wheat. The impacts of environment, management and cultivar. *Field Crops Research* doi:10.1016/j. fcr.2009.11.016.

Aryamanesh N, Nelson MM, Yan G, Clarke HJ and Siddique KHM (2009). Mapping a major gene for growth habit and QTLs for ascochyta blight resistance and flowering time in a population between chickpea and Cicer reticulatum. Euphytica DOI 10.1007/s10681-009-0086-2.

Aslam MN, Nelson MN, Kailis SG, Bayliss KL, Speijers J, Cowling WA (2009) Canola oil increases in polyunsaturated fatty acids and decreases in oleic acid in droughtstressed Mediterranean-type environments. *Plant Breeding* 128: 348-355.

Barton L, Wan G, Buck R, and Colmer TD (2009). Does 'splitting' annual N application rates decrease N leaching from turfgrass on a sandy soil? *Plant and Soil* 316: 81–96.

Barton L, Wan G, Buck R, and Colmer TD (2009). Nitrogen Increases Evapotranspiration and Growth of a Warm-Season Turfgrass. *Agronomy Journal* 101: 17–24.

Barton L, Wan G, Buck R, and Colmer TD (2009). Cultural Controls of Thatch and Mat and Effects on Turfgrass Growth and Quality. *Agronomy Journal* 101: 67–74.

Bathgate A, Revell C and Kingwell R (2009). Identifying the value of pasture improvement using wholefarm modelling. *Agricultural Systems* 102: 48-57.

Bennett SJ, Barrett-Lennard EG, Colmer TD (2009). Salinity and waterlogging as constraints to saltland pasture production: A review. *Agriculture*, *Ecosystems and Environment* 129: 349–360.

Boersma JG, Nelson MN, Sivasithamparam K and Yang H (2009). Development of sequence specific PCR markers linked to the Tardus gene that reduces pod shattering in narrow-leafed lupin (Lupinus angustifolius L.). Molecular Breeding 23: 259–267.

Borges LF, do Rosario Ferreira A, Da Silva D, Williams R, Andersen R, Dalley A, Monaghan B, Nesbitt H and Erskine W (2009). Improving food security through agricultural research and development in Timor-Leste: a country emerging from conflict. *Food Security* DOI 10.1007/s12571-009-0037-8.

Borger CPD, Scott JK, Renton M, Walsh M and Powles SB (2009) Assessment of management options for *Salsola australis* in south-west Australia by transition matrix modelling. *Weed Research* 49: 400-408.

Borger CPD, Scott JK, Walsh M and Powles SB (2009). Demography of Salsola australis populations in the agricultural region of south-west Australia. *Weed Research* 49: 391-399.

Bramley H, Turner NC, Turner DW, and Tyerman SD (2009). Roles of Morphology, Anatomy, and Aquaporins in Determining Contrasting Hydraulic Behavior of Roots. *Plant Physiology* 150: 348–364.

Busi R and Powles SB (2009). Evolution of glyphosate resistance in a *Lolium rigidum* population by glyphosate selection at sublethal doses. *Heredity* 103: 318-325.

Cenesiz M, Yildiz S, Kaya M, Onder F, Ucar O, Uzun M, Blackberry M, Blache D, Kaya I, Unal Y, Oncüer A and Martin GB (2009). Tanniniferous Oak (*Quercus hartwissiana*) leaves do not affect plasma levels of leptin, IGF-I and LH in lambs. *Journal of Animal and Veterinary Advances* 8: 634-642.

Colmer TD and Voesenek LACJ (2009). Flooding tolerance: suites of plant traits in variable environments. *Functional Plant Biology* 36: 665–681.

Cousin A and Nelson M (2009). Twinned microspore-derived embryos of canola (*Brassica napus L.*) are genetically identical. *Plant Cell Reports* 28: 831-835.

Cousin A, Heel K, Cowling WA, Nelson MN (2009). Application of a new high throughput flow cytometry method for improving the efficiency of a canola doubled haploid breeding programme. SABRAO *Journal of Breeding and Genetics* 41, Special supplement.

Coutts BA, Prince RT, and Jones RAC (2009). Quantifying Effects of Seedborne Inoculum on Virus Spread, Yield Losses, and Seed Infection in the Pea seed-borne mosaic virus—Field Pea Pathosystem. *Phytopathology* 99(10): 1156-1167.

Cowling WA, Buirchell BJ and Falk DE (2009). A model for incorporating novel alleles from the primary gene pool into elite crop breeding programs while reselecting major genes for domestication or adaptation. *Crop and Pasture Science* 60(10): 1009–1015.

Delgadillo JA, Gelez H, Ungerfeld R, Hawken PAR and Martin GB (2009). The 'male effect' in sheep and goats – revisiting the dogmas. *Behavioural Brain Research* 200: 304-314.

Dilmaghania A, Balesdent MH, Didier JP, Wu C, Davey J, Barbetti MJ, Li H, Moreno-Rico O, Phillips D, Despeghel JP, Vincenot L, Gout L and Rouxel T (2009). The Leptosphaeria maculans – Leptosphaeria biglobosa species complex in the American continent. Plant Pathology 58: 1044–1058.

Doole GJ, Pannell DJ and Revell CK (2009). Economic contribution of French serradella (*Ornithopus sativa Brot.*) pasture to integrated weed management in Western Australian mixed-farming systems: an application of compressed annealing. *Australian Journal of Agricultural and Resource Economics* 53: 231–249.

Doole GJ, and Pannell DJ (2009). Evaluating combined land conservation benefits from perennial pasture: lucerne (Medicago sativa L.) in Western Australia for management of dryland salinity and herbicide resistance, Australian Journal of Agricultural and Resource Economics 53: 193–212.

Duke SO and Powles SB (2009). Glyphosate-resistant crops and weeds: Now and in the future. *AgBioForum* 12: 1-12. El-Tarabily KA, Nassar AH, Hardy GEStJ and Sivasithamparam K (2009). Plant growth promotion and biological control of *Pythium aphanidermatum*, a pathogen of cucumber, by endophytic actinomycetes. *Journal of Applied Microbiology* 106: 13–26.

Erskine W and Nesbitt H (2009). How can agriculture research make a difference in countries emerging from conflict? *Expl Agric*. 45: 313–321.

Fang X, Turner NC, Yan G, Li F and Siddique KHM (2009). Flower numbers, pod production, pollen viability, and pistil function are reduced and flower and pod abortion increased in chickpea (Cicer arietinum L.) under terminal drought. Journal of Experimental Botany DOI:10.1093/jxb/erp307

Farooq M, Aziz T, Wahid A, Lee D and Siddique KHM (2009). Chilling tolerance in maize: agronomic and physiological approaches. *Crop and Pasture Science* 60: 501-516.

Farooq M, Wahid A, Dong-Jin Lee, Osamu Ito and Siddique KHM (2009). Advances in drought resistance of rice. *Critical Reviews in Plant Sciences* 28:199-217.

Flowers TJ, Gaur P, Gowda CLL, Krishnamurthy L, Samineni S, Siddique KHM, Turner NC, Vadez V, Varshney RK and Colmer TD (2009). Salt sensitivity in chickpea. *Plant Cell & Environment* doi: 10.1111/j.1365- 3040.2009.02051.x

Gaines TA, Zhang W, Wang D, Bukun B, Chisholm ST, Shaner DL, Nissen SJ, Patzoldt WL, Tranel PJ, Culpepper AS, Grey TL, Webster TM, Vencill WK, Sammons RD, Jiang J, Preston C, Leach JE and Westra P (2009). Gene amplification confers glyphosate resistance in *Amaranthus palmeri*. www.pnas.org/cgi/doi/10.1073/pnas.0906649107.

Goggin DE, Steadman KJ, Emery RJN, Farrow SC, Benech-Arnold RL and Powles SB (2009). ABA inhibits germination but not dormancy release in mature imbibed seeds of *Lolium rigidum Gaud. Journal of Experimental Botany* 60: 3387-3396.

Gong X, Westcott S, Li C, Yan G, Lance R and Sun D (2009). Comparative analysis of genetic diversity between Qinghai-Tibetan wild and Chinese landrace barley. *Genome* 52: 849-861.

Grewal RK, Lulsdorf M, Croser J, Ochatt S, Vandenberg A. and Warkentin TD (2009). Doubled-haploid production in chickpea (*Cicer arietinum L.*): role of stress treatments. *Plant Cell Reports*, DOI 10.1007/s00299-009-0731-1.

Gunasekera CP, French RJ, Martin LD and Siddique KHM (2009). Comparison of the responses of two mustard (*Brassica juncea L.*) genotypes to postflowering soil water deficit with response of canola (*B. napus*) cv. Monty. *Crop & Pasture Science* 60: 251-261.

Hawken PAR, Esmaili T, Jorre de St Jorre T and Martin GB (2009). Do cyclic female goats respond to males with an increase in LH secretion during the breeding season? *Animal Reproduction Science* 112: 384-389.

Hawken PAR, Esmaili T, Scanlan V, Blache D and Martin GB (2009). Can audio-visual or visual stimuli from a prospective mate stimulate a reproductive neuroendocrine response in sheep? *Animal* 3: 690-696.

Hawken PAR, Jorre de St Jorre T, Rodger J, Esmaili T, Blache D and Martin GB (2009). Rapid induction of cell proliferation in the adult female ungulate brain (*Ovis aries*) associated with activation of the reproductive axis by exposure to unfamiliar males. *Biology* of *Reproduction* 80: 1146-1151.

Hosseini NM, Palta JA, Berger JD and Siddique KHM (2009). Sowing soil water content effects on chickpea (Cicer arietinum L.): seedling emergence and early growth interaction with genotype and seed size. Agricultural Water Management 96(12): 1732-1736.

Jenkins SN,Waite IS, Blackburn A, Husband R, Rushton SP, Manning DC, O'Donnell AG (2009). Actinobacterial community dynamics in long term managed grasslands. *Antonie Van Leeuwenhoek* 95: 319-34. Jia Y, Li F, Zhang Z, Wang X, Guo R and Siddique KHM (2009). Productivity and water use of alfalfa and subsequent crops in the semiarid Loess Plateau with different stand ages of alfalfa and crop sequences. *Field Crops Research* 114(1): 58-65.

Jones RAC (2009). Plant virus emergence and evolution: Origins, new encounter scenarios, factors driving emergence, effects of changing world conditions, and prospects for control. *Virus Research* 141: 113–130.

Kingwell R and Farre I (2009). Climate change impacts on investment in crop sowing machinery. *Australian Journal of Agricultural and Resource Economics* 53: 265-284.

Khan HR, Paull JG, Siddique KHM, Stoddard FL (2009). Faba bean breeding for drought-affected environments: A physiological and agronomic perspective. *Field Crops Res.* doi:10.1016/j. fcr.2009.09.003.

Kumar A and Turner NC (2009). Growth and sucrose synthase activity of developing chickpea (*Cicer arietinum L.*) seeds under field conditions. *Australian Journal of Crop Science* 3: 20-27.

Kumari M, Clarke HJ, Small I and Siddique KHM (2009). Albinism in plants: A major bottleneck in wide hybridisation, androgensis and doubled haploid culture. *Critical Reviews in Plant Science* 28: 393-409.

Li CX, Sivasithamparam K and Barbetti MJ (2009). Complete resistance to leaf and staghead disease in Australian *Brassica juncea* germplasm exposed to infection by *Albugo candida* (white rust). *Australasian Plant Pathology* 38: 63–66.

Li CX, Liu SY, Sivasithamparam K and Barbetti MJ (2009). New sources of resistance to *Sclerotinia* stem rot caused by *Sclerotinia sclerotiorum* in Chinese and Australian *Brassica napus* and *Brassica juncea* germplasm screened under Western Australian conditions. *Australasian Plant Pathology* 38: 149-152.

## Research Publications 2009

Li H, Nichols PGH, Han S, Foster KJ, Sivasithamparam K and Barbetti MJ (2009). Resistance to race 2 and cross-resistance to race 1 of Kabatiella caulivora in Trifolium subterraneum and T. purpureum. Australasian Plant Pathology 38: 284–287.

Li H, Han S, Nichols PGH, Revell CK, Sivasithamparam K and Barbetti MJ (2009). Responses of genotypes from species of *Trifolium*, *Ornithopus*, *Biserrula* and *Hedysarum* to a highly virulent race of *Phytophthora clandestina* and new sources of resistance. *Annals of Applied Biology* 155: 259–265.

Lin R, Renshaw D, Luckett D, Clements J, Yan G, Adhikari K, Buirchell B, Sweetingham M and Yang H (2009). Development of a sequence-specific PCR marker linked to the gene "pauper" conferring low-alkaloids in white lupin (Lupinus albus L.) for marker assisted selection. Molecular Breeding 23: 153–161.

Llewellyn RS, D'Emden FH, Owen MJ and Powles SB (2009) Herbicide resistance in rigid ryegrass (Lolium rigidum) has not led to higher weed densities in Western Australian cropping fields. Weed Science 57: 61-65.

Lonergan PF, Pallotta MA, Lorimer M, Paull JG, Barker SJ and Graham RD (2009). Multiple genetic loci for zinc uptake and distribution in barley (Hordeum vulgare). New Phytologist 184(1): 168-179.

Lu Y, Rahman N, Chen X, Jiang M, Xin L, Dong M, Yan G (2009) Biogenic amines in Chinese soy sauce. *Food control* 20: 593-597.

Ma Q, Rengel Z and Palta J (2009). Changes in soil–plant P under heterogeneous P supply influence C allocation between the shoot and roots. Functional Plant Biology 36: 826–831.

Ma Q, Rengel Z and Rose T (2009). The effectiveness of deep placement of fertilisers is determined by crop species and edaphic conditions in Mediterranean-type environments: a review. Australian Journal of Soil Research 47: 19-32.

Ma XL, Kong P, You MP, Li H, Sivasithamparam K and Barbetti MJ (2009). Molecular variation among isolates belonging to eight races of Phytophthora clandestine. Australasian Plant Pathology 38: 608–616

Majumdar I, Polyakov M, Teeter LD and Butler BJ (2009). 'Effect of Population Pressure on Forest Land Use Change in Alabama: A Nested Logit Approach', International Journal of Ecological Economics & Statistics 14 (P09): 77-93.

Mullan BP, Pluske JR, Trezona M, Harris DJ, Allena JG, Siddique KHM, Hanbury CD, van Barneveld RJ and Kim JC (2009). Chemical composition and standardised ileal digestible amino acid contents of Lathyrus (*Lathyrus cicera*) as an ingredient in pig diets. *Animal Feed Science and Technology* 150: 139–143.

Nasar-Abbas SM, Siddique KHM, Plummer JA, White PF, Harris D, Dods K and D'Antuono M (2009). Faba bean (Vicia faba L.) seeds darken rapidly and phenoloic content falls when seeds are stored at higher temperature, moisture and light intensity. Food Science Technology 42(10): 1703-1711.

Nelson MN, Castello M, Mason AE, Thomson L, Yan G and Cowling WA (2009). Microspore culture preferentially selects unreduced (2n) gametes in interspecific hybrids of *Brassica napus* L. x Brassica carinata Braun. Theoretical and Applied Genetics 119: 497-505.

Neuhaus A, Turner DW, Colmer TD and Blight A (2009). Drying half of the rootzone from mid fruit growth to maturity in 'Hass' avocado (*Persea americana Mill.*) trees for one season reduced fruit production in two years. *Scientia Horticulturae* 120: 437-442.

Nichols PGH, Malik AI, Stockdale M and Colmer TD (2009). Salt tolerance and avoidance mechanisms at germination of annual pasture legumes: importance for adaptation to saline environments. *Plant Soil* 315: 241–255.

Norman HC, Wilmot MG, Thomas DT, Masters DG and Revell DK (2009). Stable carbon isotopes accurately predict diet selection by sheep fed mixtures of C3 annual pastures and saltbush or C4 perennial grasses. *Livestock Science*, 121: 162-172.

O'Rourke TA, Scanlon TT, Ryan MH, Wade LJ, McKay AC, Riley IT, Li H, Sivasithamparam K and Barbetti MJ (2009). Severity of root rot in mature subterranean clover and associated fungal pathogens in the wheatbelt of Western Australia. *Crop & Pasture Science* 60: 43–50.

Owen MJ, Owen RK and Powles SB (2009). A survey in the southern grain belt of Western Australia did not find *Conyza spp* resistant to glyphosate. *Weed Technology* 23: 492-494.

Owen MJ, Powles SB (2009). Distribution and frequency of herbicideresistant wild oat (Avena spp.) across the Western Australian grain belt. Crop & Pasture Science 60: 25-31.

Pang J, Tibbett M, Denton D, Lambers H, Siddique KHM, Bolland MD, Revell CK and Ryan MH (2009). Variation in seedling growth of 11 perennial legumes in response to phosphorus supply. *Plant and Soil* 328: 133-143.

Pannell DJ and Wilkinson R (2009). Policy mechanism choice for environmental management by noncommercial "lifestyle" rural landholders. *Ecological Economics* 68: 2679-2687.

Pannell DJ and Roberts AM (2009). Conducting and delivering integrated research to influence land-use policy: salinity policy in Australia, *Environmental Science and Policy* 12(8): 1088-1099.

Pannell DJ (2009). Technology change as a policy response to promote changes in land management for environmental benefits, *Agricultural Economics* 40(1), 95-102.

Pappua HR, Jones RAC, Jain RK (2009). Global status of tospovirus epidemics in diverse cropping systems: Successes achieved and challenges ahead. *Virus Research* 141: 219–236.

Roberts A and Pannell D (2009). Piloting a systematic framework for public investment in regional natural resource management: dryland salinity in Australia, *Land Use Policy* 26(4): 1001-1010.

Robertson D, Zhang H, Palta JA, Colmer T, and Turner NC (2009). Waterlogging affects the growth, development of tillers, and yield of wheat through a severe, but transient, N deficiency. *Crop & Pasture Science* 60: 578–586.

Robertson M, Kingwell R, Measham T, O'Connor M and Batchelor G (2009). Constraints to farmers managing dryland salinity in the Central wheatbelt of Western Australia. *Land Degradation and Development* 20: 235-251.

Robertson M, Measham T, Batchelor G, George R, Kingwell R and Hosking K (2009). Effectiveness of a publicly-funded demonstration program to promote management of dryland salinity. *Journal of Environmental Management* 90(10): 3023-3030.

Rogers ME, Colmer, TD, Frost K, Henry D, Cornwall D, Hulm E, Hughes S, Nichols PGH and Craig AD (2009). The influence of NaCL salinity and hypoxia on aspects of growth in *Trifolium* species. *Crop and Pasture Science* 60: 71-82.

Rose TJ, Rengel Z, Ma Q and Bowden JW (2009). Phosphorus accumulation by field-grown canola crops and the potential for deep phosphorus placement in a Mediterranean-type climate. *Crop and Pasture Science* 60(10): 987–994.

Rose TJ, Rengel Z, Ma Q, Bowden JW (2009). Crop species differ in root plasticity response to localised P supply. Journal of Plant Nutrition & Soil Science 172: 360-368.

Ryan MH, Ehrenberg S, Bennett, RG, Tibbett M (2009). Putting the P in Ptilotus: a phosphorus accumulating herb native to Australia. *Annals of Botany* 103: 901-912.

Sharma DL, Shackley BJ, Amjad M, Zaicou-Kunesch CM, D'Antuono MF and Anderson WK (2009). Use of grain size distribution parameters to explain variation in small grain screenings of wheat in multi-environment trials involving new cultivars. *Crop & Pasture Science* 60: 658–666.

Si P, Buirchell B and Sweetingham MW (2009a). Improved metribuzin tolerance in narrow-leafed lupin (*Lupinus angustifolius L.*) by induced mutation and field selection. *Field Crops Research* 113(3): 282-286.

Song L, Li FM, Fan XW, Xiong YC, Wang WQ, Wu XB, Turner NC (2009). Soil water availability and plant competition affect the yield of spring wheat. *European Journal of Agronomy* 31: 51–60

Sullivan TM, Micke GC, Magalhaes GC, Martin GB, Wallace CR, Green JA and Perry VEA (2009). Dietary protein during gestation affects hormonal indicators of placental function and fetal development in heifers. *Placenta* 30: 348-354.

Sullivan TM, Micke GC, Perkins N, Martin GB, Wallace CR, Gatford KL, Owens JA and Perry VEA (2009). Dietary protein during gestation affects maternal insulin-like growth factor, insulin-like growth factor binding protein, leptin concentrations, and fetal growth in heifers. *Journal of Animal Science* 87(10): 3304-3316.

Takahira J, Cousin A, Nelson MN and Cowling WA (2009). Flow cytometry improves efficiency of selection of fertile doubled haploid canola plants from microspore culture. SABRAO *Journal of Breeding and Genetics* 41, Special supplement.

Turner N.C., Furbank R.T., Berger J.D., Gremigni P., Abbo, S., Leport L. 2009. Seed size is associated with sucrose synthase activity in developing cotyledons of chickpea. *Crop Science*. 49, 2, 621-627.

Van de Wouw AP, Marcroft SJ, Barbetti MJ, Li Hua, Salisbury PA, Gout L, Rouxel T, Howlett BJ and Balesdent H (2009). Dual control of avirulence in *Leptosphaeria maculans* towards a *Brassica napus* cultivar with 'sylvestrisderived' resistance suggests involvement of two resistance genes. *Plant Pathology* 58: 305–313.

Varshney RK, Hiremath PJ, Lekha P, Kashiwagi J, Balaji J, Deokar AA, Vadez V, Xiao Y, Srinivasan R, Gaur PM, Siddique KHM, Town CD and Hoisington DA (2009). A comprehensive resource of drought – and salinity – responsive ESTs for gene discovery and marker development in chickpea (*Cicer arietinum L*). *BMC Genomics* 10:523.

Vila-Aiub MM, Neve P and Powles SB (2009). Fitness costs associated with evolved herbicide resistance alleles in plants. *New Phytologist* 184: 751-767.

Vila-Aiub MM, Neve P and Powles SB (2009). Evidence for an ecological cost of enhanced herbicide metabolism in *Lolium rigidum. Journal of Ecology* 97: 772-780.

Vinale F, Flematti G, Sivasithamparam K, Lorito M, Marra R, Skelton BW, and Ghisalberti EL (2009). Harzianic Acid, an Antifungal and Plant Growth Promoting Metabolite from *Trichoderma harzianum*. *J. Nat. Prod.* 72: 2032–2035.

Vinale F, Ghisalberti EL, Sivasithamparam K, Marra R, Ritieni A, Ferracane R, Woo S and Lorito M (2009). Factors affecting the production of *Trichoderma harzianum* secondary metabolites during the interaction with different plant pathogens. *The Society* for Applied Microbiology, Letters in Applied Microbiology 48: 705–711.

Viñoles C, Meikle A and Martin GB (2009). Short-term nutritional treatments grazing legumes or feeding concentrates increase prolificacy in Corriedale ewes. *Animal Reproduction Science* 113: 82-92.

Walsh MJ and Powles SB (2009). Impact of crop-topping and swathing on the viable seed production of wild radish (Raphanus raphanistrum). Crop and Pasture Science 60: 667-674.

Walsh MJ, Maguire N and Powles SB (2009). Combined effect of wheat competition and 2,4-D amine on phenoxy herbicide resistant *Raphanus raphanistrum* populations. *Weed Research* 49: 316-325.

## Research Publications 2009

Wylie SJ and Jones RAC (2009). Role of Recombination in the Evolution of Host Specialization Within Bean yellow mosaic virus. *The American Phytopathological Society* 99: 512-518.

Yan G, Nelson M, Pradhan A, Mason A, Weerakoon SR, Si P, Plummer J and Cowling W (2009). Progress towards the creation of trigenomic *Brassica* hexaploid populations. *SABRAO Journal of Breeding and Genetics* 41, Special supplement.

You MP, Yang HA, Sivasithamparam K and Barbetti MJ (2009). A new leaf blight disease of *Trifolium dasyurum* caused by *Botrytis fabae. European Journal of Plant Pathology* 123:99–103.

Yu Q, Han HP, Nguyen L, Forster JW and Powles SB (2009). Inheritance of paraquat resistance in a *Lolium rigidum* population is governed by one single nuclear gene. *Theoretical and Applied Genetics* 118: 1601-1608.

Yu Q, Abdallah I, Han H, Owen M and Powles SB (2009). Distinct non-target site mechanisms endowing resistance to glyphosate, ACCase and ALS-inhibiting herbicides in multiple herbicide resistant *Lolium rigidum. Planta* 230: 713-723.

#### Book chapters

Blache D and Martin GB (2009). Focus feeding to improve reproductive performance in male and female sheep and goats - how it works and strategies for using it. In: Options Méditerranéennes, Série A (Séminaires Méditerranéens) No. 85 - Nutritional and foraging ecology of sheep and goats (Eds: T.G. Papachristou, Z.M. Parissi, H. Ben Salem and P. Morand-Fehr) pp. 351-364. Zaragoza: Centre International de Hautes Etudes Agronomiques Méditerranéennes/Food and Agriculture Organization of the United Nations/ National Agricultural Research Foundation, Greece.

Erskine W, Muehlbauer FJ, Sarker A and Sharma B (2009). Introduction. Pages 1-3 in The Lentil: Botany, Production and Uses. (Eds W. Erskine, F.J. Muehlbauer, A. Sarker and B.Sharma). CABI, Wallingford, UK. Erskine W (2009). Global Production, Supply and Demand. Pages 4-12 in The Lentil: Botany, Production and Uses. (Eds W Erskine, FJ Muehlbauer, A Sarker and B Sharma). CABI, Wallingford, UK.

Knights EJ, Siddique KHM, Khan TN and Hobson KB (2009). Development of the Australian chickpea industry: Booms and blights. In: M Ali and S Kumar, eds. 'Milestones in food legume research', Indian Institute of Pulses Research, Kanpur, India. pp. 36-57.

Lindsay DR and Martin GB (2009).
Dairying. In: Historical Encyclopedia of Western Australia (Eds.: Jenny Gregory and Jan Gothard), University of Western Australia Press, Crawley.

Materne M and Siddique KHM (2009). Agro-ecology and Crop Adaptation. Pages 47-63 in The Lentil: Botany, Production and Uses. (Eds W Erskine, FJ Muehlbauer, A Sarker and B Sharma). CABI, Wallingford, UK.

Shrestha R, Siddique KHM, Turner DW and Turner NC (2009). Breeding and Management to Minimize the Effects of Drought and Improve Water Use Efficiency. Pages 172-193 in The Lentil: Botany, Production and Uses. (Eds W Erskine, FJ Muehlbauer, A Sarker and B Sharma). CABI, Wallingford, UK.

Si P, Buirchell B and Sweetingham M (2009). Induced mutation in narrowleafed lupin improvement: an example of herbicide tolerance. In: QY Shu (ed), Induced Plant Mutations in the Genomics Era. Food and Agriculture Organization of the United Nations, Rome, pp 85-88.

Solaiman ZM, Yan G and Siddique KHM (2009). Molecular biotechnology in agriculture. In: A. K. Chauhan and A. Varma (eds.), 'A Textbook of Molecular Biotechnology', I.K. International Publishing House Pvt. Ltd, New Delhi, India, pp 437-452.

Ujagir R and Byrne OM (2009). Insect Pests and Their Management. Pages 282-305 in The Lentil: Botany, Production and Uses. (Eds W Erskine, FJ Muehlbauer, A Sarker and B Sharma). CABI, Wallingford, UK.

#### **Books**

Blakeney M (2009). Intellectual Property Rights and Food Security, Wallingford, Oxfordshire, CABI, ISBN 978 1 84593 560 3, 304 pp.

Erskine W, Muehlbauer FJ, Sarker A and Sharma B (eds.) (2009). The Lentil Botany, Production and Uses. CABI, Wallingford, UK. 457 pp.

Malecki IA, Glatz PC, Anderson CA and Webb LE (eds.) (2009). Ratite Science for industry and conservation" – Special issue of the Australian Journal of Experimental Agriculture, 2008, Volume 48 (10) 1247-1350. CSIRO Publishing, Victoria, Australia.



#### The UWA Institute of Agriculture

The University of Western Australia M082, 35 Stirling Highway, Crawley WA 6009

Tel +61 8 6488 4717 Fax +61 8 6488 7354

Email pam.townshend@uwa.edu.au
Web www.ioa.uwa.edu.au